

ORDER FOR SUPPLIES OR SERVICES										PAGE 1 OF 30	
1. CONTRACT PURCH ORDER/AGREEMENT NO. W56HZV-04-P-0804			2. DELIVERY ORDER/CALL NO.		3. DATE OF ORDER/CALL (YYYYMMDD) 2004JUN18		4. REQUISITION/PURCH REQUEST NO. SEE SCHEDULE		5. PRIORITY DOA4		
6. ISSUED BY TACOM WARREN BLDG 231 AMSTA-LC-CHAC ROBERT HUMANN (586)574-6440 WARREN, MICHIGAN 48397-5000 EMAIL: HUMANNB@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL			CODE W56HZV		7. ADMINISTERED BY (If other than 6) DCMA INDIANAPOLIS EMMETT J. BEAN CENTER 8899 E. 56TH ST. INDIANAPOLIS, IN 46249-5701 SCD: C PAS: NONE ADP PT: HQ0337			CODE S1501A		8. DELIVERY FOB <input checked="" type="checkbox"/> DESTINATION <input type="checkbox"/> OTHER (See Schedule if other)	
9. CONTRACTOR AM GENERAL LLC 408 SOUTH BYRKIT STREET P O BOX 728 MISHAWAKA, IN. 46546-0728 NAME AND ADDRESS TYPE BUSINESS: Large Business Performing in U.S.			CODE 34623		FACILITY		10. DELIVER TO FOB POINT BY (Date) (YYYYMMDD) SEE SCHEDULE			11. X IF BUSINESS IS <input type="checkbox"/> SMALL <input type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMAN-OWNED	
14. SHIP TO SEE SCHEDULE			CODE		15. PAYMENT WILL BE MADE BY DFAS - COLUMBUS CENTER DFAS-CO/NORTH ENTITLEMENT OPERATION P.O. BOX 182266 COLUMBUS OH 43218-2266			CODE HQ0337		MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2	
16. TYPE OF ORDER		DELIVERY/ CALL		THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOVE NUMBERED CONTRACT.							
PURCHASE		X		Reference your <input type="checkbox"/> Oral <input checked="" type="checkbox"/> Written Quotation 20028541, Dated 2004MAR03. CHRYSTAL TABB-MACK furnish the following on terms specified herein.							
ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.											
<div style="display: flex; justify-content: space-between;"> <div>NAME OF CONTRACTOR</div> <div>SIGNATURE</div> <div>TYPED NAME AND TITLE</div> <div>DATE SIGNED (YYYYMMDD)</div> </div> <div style="margin-top: 10px;"> <input type="checkbox"/> If this box is marked, supplier must sign Acceptance and return the following number of copies: </div>											
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE SCHEDULE											
18. ITEM NO.		19. SCHEDULE OF SUPPLIES/SERVICE				20. QUANTITY ORDERED/ ACCEPTED*		21. UNIT	22. UNIT PRICE		23. AMOUNT
		SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price KIND OF CONTRACT: Supply Contracts and Priced Orders									
* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.					24. UNITED STATES OF AMERICA MARIE T. GAPINSKI /SIGNED/ GAPINSKM@TACOM.ARMY.MIL (586)574-5333 BY: CONTRACTING/ORDERING OFFICER					25. TOTAL \$35,431.40	
27a. QUANTITY IN COLUMN 20 HAS BEEN <input type="checkbox"/> INSPECTED <input type="checkbox"/> RECEIVED <input type="checkbox"/> ACCEPTED, AND CONFORMS TO CONTRACT EXCEPT AS NOTED											
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE						c. DATE (YYYYMMDD)		d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE			
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE						28. SHIP. NO.		29. D.O. VOUCHER NO.		30. INITIALS	
f. TELEPHONE NUMBER		g. E-MAIL ADDRESS				31. PAYMENT <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		32. PAID BY		33. AMOUNT VERIFIED CORRECT FOR	
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						31. PAYMENT <input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL				34. CHECK NUMBER	
a. DATE (YYYYMMDD)		b. SIGNATURE AND TITLE OF CERTIFYING OFFICER								35. BILL OF LADING NO.	
37. RECEIVED AT		38. RECEIVED BY (Print)		39. DATE RECEIVED (YYYYMMDD)		40. TOTAL CON-TAINERS		41. S/R ACCOUNT NUMBER		42. S/R VOUCHER NO.	

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 2 of 30
Name of Offeror or Contractor: AM GENERAL LLC		

SUPPLEMENTAL INFORMATION

Shipment must be based on CLIN 0001AA having a greater priority for delivery.

*** END OF NARRATIVE A 001 ***

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	JUL/2003
<p>(a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (http://contracting.tacom.army.mil/opportunity.htm) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at http://contracting.tacom.army.mil/userguide.htm and http://contracting.tacom.army.mil/ebidnotice.htm for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.</p>			
<p>(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.</p>			
<p>(c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.</p>			
<p>(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.</p>			
<p>(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil</p>			
<p>(f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at http://www.ecrc.ctc.com</p>			

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 3 of 30
--------------------	---	--------------

Name of Offeror or Contractor: AM GENERAL LLC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	SUPPLIES OR SERVICES AND PRICES/COSTS NSN: 2510-01-476-2171 FSCM: 34623 PART NR: 12446911-G SECURITY CLASS: Unclassified				
0001AA	<u>PRODUCTION QUANTITY</u> NOUN: DOOR,HATCH,VEHICLE PRON: EH492570EH PRON AMD: 01 ACRN: AA AMS CD: 070011 <u>Description/Specs./Work Statement</u> TOP DRAWING NR: 12446911 DATE: 13-JAN-2004 <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE CLAUSE 52-211-4517 UNIT PACK: EA INTERMEDIATE PACK: 01 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin <u>Deliveries or Performance</u> DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 001 M2037133356044 YMhGMT A 1 <u>DEL REL CD QUANTITY DAYS AFTER AWARD</u> 001 10 0210 FOB POINT: Destination SHIP TO: <u>FREIGHT ADDRESS</u> (M20371) TRAFFIC MANAGEMENT OFFICER MF M20371 BLDG 2262 MCB CAMP PENDLETON CA 92055-5000 <u>CONTRACT/DELIVERY ORDER NUMBER</u> W56HZV-04-P-0804/0000	10	EA	\$ 1,771.57000	\$ 17,715.70

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 4 of 30
--------------------	---	--------------

Name of Offeror or Contractor: AM GENERAL LLC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0002	NSN: 2510-01-476-2171 FSCM: 34623 PART NR: 12446911-G1 SECURITY CLASS: Unclassified				
0002AA	<u>PRODUCTION QUANTITY</u> NOUN: DOOR,HATCH,VEHICLE PRON: EH4Y1660EH PRON AMD: 01 ACRN: AA AMS CD: 070011 <u>Description/Specs./Work Statement</u> TOP DRAWING NR: 12446911 DATE: 13-JAN-2004 <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE CLAUSE 52-211-4517 UNIT PACK: EA INTERMEDIATE PACK: 01 LEVEL PRESERVATION: Military LEVEL PACKING: A <u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin <u>Deliveries or Performance</u> DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 001 W56HZV4030T902 W25G1U J 2 <u>DEL REL CD QUANTITY DAYS AFTER AWARD</u> 001 10 0210 FOB POINT: Destination SHIP TO: <u>FREIGHT ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001 <u>CONTRACT/DELIVERY ORDER NUMBER</u> W56HZV-04-P-0804/0000	10	EA	\$ 1,771.57000	\$ 17,715.70

Name of Offeror or Contractor: AM GENERAL LLC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0003	FSCM: 34623 PART NR: 12446911-G1 SECURITY CLASS: Unclassified				
0003AA	<p>OPTION QUANTIITES</p> <p>NOUN: DOOR, HATCH, VEHICLE</p> <p>OPTION QUANTITY, PURSUANT TO SECTION H OR I CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY--- SEPARATELY PRICED LINE ITEM</p> <p>The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government.</p> <p>(End of narrative B001)</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE CLAUSE 52.211-4517 UNIT PACK: EA INTERMEDIATE PACK: 01 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 DEL REL CD QUANTITY DEL DATE 001 20 UNDEFINITIZED</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>FREIGHT ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p> <p><u>CONTRACT/DELIVERY ORDER NUMBER</u> W56HZV-04-P-0804/0000</p>	20	EA	\$ 1,771.57000	\$ 35,431.40

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 6 of 30
Name of Offeror or Contractor: AM GENERAL LLC		

NOTICE: Drawings C-1.221, C-2.221, C-61.125, C-8.121 and E-31.102, CAGE: 24617 (General Motors) NOT FURNISHED - Commercial Specifications and Standards may be obtained from the publishers. They are not available from Government sources.

*** END OF NARRATIVE B 001 ***

Name of Offeror or Contractor: AM GENERAL LLC

CONTRACT ADMINISTRATION DATA

LINE	PRON/ AMS CD/ ITEM	OBLG							JOB		
		ACRN	STAT	ACCOUNTING CLASSIFICATION				ORDER NUMBER	ACCOUNTING STATION	OBLIGATED AMOUNT	
0001AA	EH492570EH 070011	AA	2	97	X4930AC6D	6D		26FB S20113	W56HZV \$	17,715.70	
0002AA	EH4Y1660EH 070011	AA	2	97	X4930AC6D	6D		26FB S20113	W56HZV \$	17,715.70	
									TOTAL	\$ 35,431.40	
SERVICE									ACCOUNTING	OBLIGATED	
NAME	TOTAL BY ACRN		ACCOUNTING CLASSIFICATION					STATION	AMOUNT		
Army	AA		97	X4930AC6D	6D		26FB S20113	W56HZV \$	35,431.40		
									TOTAL	\$ 35,431.40	

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804MOD/AMD	Page 8 of 30
Name of Offeror or Contractor: AM GENERAL LLC		

CONTRACT CLAUSES

2	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
3	52.217-5	EVALUATION OF OPTIONS	JUL/1990
4	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
5	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
6	52.246-2	INSPECTION OF SUPPLIES--FIXED PRICE	AUG/1996
7	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	FEB/2003
8	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS (Alternate I dated Dec 2000)	DEC/2000
9	252.211-7003	ITEM IDENTIFICATION AND VALUATION	JAN/2004

[NOTE: The following clause requires unique item identification marking, or a DoD recognized unique identification equivalent, for all items delivered under the contract for which the Government's acquisition cost (as defined under 'Definitions' below) is \$5,000 or more. Unique item identification marking is also required for items listed in paragraph (c)(1)(ii) of the clause. Unique item identification marking is required for embedded subassemblies, components, and parts if listed in paragraph (c)(1(ii), or if listed elsewhere in the solicitation or resulting contract. In the event that the Government has not yet identified these items or embedded parts, paragraph (c)(1)(ii) will read "TBD" for "to be determined". If these items are identified by the Government before the time proposals are due, an amendment to the solicitation will be issued which identifies them. If not, award will be made on the basis of them not being identified, however the contract may be later modified to include such identification marking. This clause also requires the contractor to report the Government's acquisition cost for each item delivered under the contract. Information concerning these requirements is available at <http://www.acq.osd.mil/uid>.]

- (a) Definitions. As used in this clause--
- "Automatic identification device" means a device, such as a reader or interrogator, used to retrieve data encoded on machine-readable media.
- "Commonly accepted commercial marks" means any system of marking products for identification that is in use generally throughout commercial industry or within commercial industry sectors. Some examples of commonly accepted commercial marks are: EAN.UCC Global Trade Item Number; Automotive Industry Action Group B-4 Parts Identification and Tracking Application Standard, and B-2 Vehicle Identification Number Bar Code Label Standard; American Trucking Association Vehicle Maintenance Reporting Standards; Electronic Industries Alliance EIA 802 Product Marking Standard; and Telecommunications Manufacturers Common Language Equipment Identification Code.
- "Concatenated unique item identifier" means-- (1) For items that are serialized within the enterprise identifier, the linking together of the unique identifier data elements in order of the issuing agency code, enterprise identifier, and unique serial number within the enterprise identifier; or (2) For items that are serialized within the original part number, the linking together of the unique identifier data elements in order of the issuing agency code, enterprise identifier, original part number, and serial number within the part number.
- "Data qualifier" means a specified character (or string of characters) that immediately precedes a data field that defines the general category or intended use of the data that follows.
- "DoD recognized unique identification equivalent" means a unique identification method that is in commercial use and has been recognized by DoD. All DoD recognized unique identification equivalents are listed at <http://www.acq.osd.mil/uid> .
- "DoD unique item identification" means marking an item with a unique item identifier that has machine-readable data elements to distinguish it from all other like and unlike items. In addition-- (1) For items that are serialized within the enterprise identifier, the unique identifier shall include the data elements of issuing agency code, enterprise identifier, and a unique serial number. (2) For items that are serialized within the part number within the enterprise identifier, the unique identifier shall include the data elements of issuing agency code, enterprise identifier, the original part number, and the serial number. Enterprise means the entity (i.e., a manufacturer or vendor) responsible for assigning unique item identifiers to items.
- "Enterprise identifier" means a code that is uniquely assigned to an enterprise by a registration (or controlling) authority.
- "Government's unit acquisition cost" means-- (1) For fixed-price type line, subline, or exhibit line items, the unit price identified in the contract at the time of delivery; and (2) For cost-type line, subline, or exhibit line items, the Contractor's estimated fully burdened unit cost to the Government for each item at the time of delivery.
- "Issuing agency code" means a code that designates the registration (or controlling) authority.
- "Item" means a single hardware article or unit formed by a grouping of subassemblies, components, or constituent parts

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 9 of 30
Name of Offeror or Contractor: AM GENERAL LLC		

required to be delivered in accordance with the terms and conditions of this contract.

"Machine-readable" means an automatic information technology media, such as bar codes, contact memory buttons, radio frequency identification, or optical memory cards.

"Original part number" means a combination of numbers or letters assigned by the enterprise at asset creation to a class of items with the same form, fit, function, and interface.

"Registration (or controlling) authority" means an organization responsible for assigning a non-repeatable identifier to an enterprise (i.e., Dun & Bradstreet's Data Universal Numbering System (DUNS) Number, Uniform Code Council (UCC)/EAN International (EAN) Company Prefix, or Defense Logistics Information System (DLIS) Commercial and Government Entity (CAGE) Code).

"Serial number within the enterprise identifier or unique serial number" means a combination of numbers, letters, or symbols assigned by the enterprise to an item that provides for the differentiation of that item from any other like and unlike item and is never used again within the enterprise.

"Serial number within the part number or serial number" means a combination of numbers or letters assigned by the enterprise to an item that provides for the differentiation of that item from any other like item within a part number assignment.

"Serialization within the enterprise identifier" means each item produced is assigned a serial number that is unique among all the tangible items produced by the enterprise and is never used again. The enterprise is responsible for ensuring unique serialization within the enterprise identifier.

"Serialization within the part number" means each item of a particular part number is assigned a unique serial number within that part number assignment. The enterprise is responsible for ensuring unique serialization within the part number within the enterprise identifier.

"Unique item identification" means marking an item with machine-readable data elements to distinguish it from all other like and unlike items.

"Unique item identifier" means a set of data marked on items that is globally unique, unambiguous, and robust enough to ensure data information quality throughout life and to support multi-faceted business applications and users.

"Unique item identifier type" means a designator to indicate which method of uniquely identifying a part has been used. The current list of accepted unique item identifier types is maintained at http://www.acq.osd.mil/uid_.

- (b) The Contractor shall deliver all items under a contract line, subline, or exhibit line item.
- (c) Unique item identification.

(1) The Contractor shall provide DoD unique item identification, or a DoD recognized unique identification equivalent, for--

(i) All items for which the Government's unit acquisition cost is \$5,000 or more; and

(ii) The following items for which the Government's unit acquisition cost is less than \$5,000:

Contract Line, Subline, or Exhibit Line Item Number: -1-

Item Description: -2-

(iii) Subassemblies, components, and parts embedded within items as specified in Exhibit Number _-3-_ or Contract Data Requirements List Item Number _____.
- (2) The unique item identifier and the component data elements of the unique item identifier shall not change over the life of the item.
- (3) Data syntax and semantics. The Contractor shall--

(i) Mark the encoded data elements (except issuing agency code) on the item using any of the following three types of data qualifiers, as specified elsewhere in the contract:

(A) Data Identifiers (DIs) (Format 06).

(B) Application Identifiers (AIs) (Format 05), in accordance with ISO/IEC International Standard 15418, Information Technology-- EAN/UCC Application Identifiers and ASC MH 10 Data Identifiers and ASC

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 10 of 30
---------------------------	--	----------------------

Name of Offeror or Contractor: AM GENERAL LLC

MH 10 Data Identifiers and Maintenance.

(C) Text Element Identifiers (TEIs), in accordance with the DoD collaborative solution ``DD'' format for use until the final solution is approved by ISO JTC1/SC 31. The DoD collaborative solution is described in Appendix D of the DoD Guide to Uniquely Identifying Items, available at <http://www.acq.osd.mil/uid> ; and

(ii) Use high capacity automatic identification devices in unique identification that conform to ISO/IEC International Standard 15434, Information Technology--Syntax for High Capacity Automatic Data Capture Media.

(4) Marking items.

(i) Unless otherwise specified in the contract, data elements for unique identification (enterprise identifier, serial number, and, for serialization within the part number only, original part number) shall be placed on items requiring marking by paragraph (c)(1) of this clause in accordance with the version of MIL-STD-130, Identification Marking of U.S. Military Property, cited in the contract Schedule.

(ii) The issuing agency code--

(A) Shall not be placed on the item; and

(B) Shall be derived from the data qualifier for the enterprise identifier.

(d) Commonly accepted commercial marks. The Contractor shall provide commonly accepted commercial marks for items that are not required to have unique identification under paragraph (c) of this clause.

(e) Material Inspection and Receiving Report. The Contractor shall report at the time of delivery, as part of the Material Inspection and Receiving Report specified elsewhere in this contract, the following information:

(1) Description.*

(2) Unique identifier**, consisting of--

(i) Concatenated DoD unique item identifier; or

(ii) DoD recognized unique identification equivalent.

(3) Unique item identifier type.**

(4) Issuing agency code (if DoD unique item identifier is used).**

(5) Enterprise identifier (if DoD unique item identifier is used).**

(6) Original part number.**

(7) Serial number.**

(8) Quantity shipped.*

(9) Unit of measure.*

(10) Government's unit acquisition cost.*

(11) Ship-to code.

(12) Shipment date.

(13) Contractor's CAGE code or DUNS number.

(14) Contract number.

(15) Contract line, subline, or exhibit line item number.*

(16) Acceptance code.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 11 of 30
Name of Offeror or Contractor: AM GENERAL LLC		

* Once per contract line, subline, or exhibit line item.
 ** Once per item.

(f) Material Inspection and Receiving Report for embedded subassemblies, components, and parts requiring unique item identification. The Contractor shall report at the time of delivery, as part of the Material Inspection and Receiving Report specified elsewhere in this contract, the following information:

- (1) Unique item identifier of the item delivered under a contract line, subline, or exhibit line item that contains the embedded subassembly, component, or part.
- (2) Unique item identifier of the embedded subassembly, component, or part, consisting of--
 - (i) Concatenated DoD unique item identifier; or
 - (ii) DoD recognized unique identification equivalent.
- (3) Unique item identifier type.**
- (4) Issuing agency code (if DoD unique item identifier is used).**
- (5) Enterprise identifier (if DoD unique item identifier is used).**
- (6) Original part number.**
- (7) Serial number.**
- (8) Unit of measure.
- (9) Description.

** Once per item.

(g) The Contractor shall submit the information required by paragraphs (e) and (f) of this clause in accordance with the procedures at <http://www.acq.osd.mil.uid>

____(h) Subcontracts. If paragraph (c)(1)(iii) of this clause applies, the Contractor shall include this clause, including this paragraph (h), in all subcontracts issued under this contract.

[End of Clause]

10	52.204-4006	INCORPORATION OF TACOM MASTER SOLICITATION FOR SIMPLIFIED	MAY/2000
	(TACOM)	ACQUISITIONS AND DESIGNATION OF F.O.B. POINT	

(a) This Request for Quotation (RFQ) or Purchase Order (PO) incorporates by reference TACOM-Warren's Master Solicitation for Simplified Acquisitions with the same force and effect as though the clauses and provisions it contains were physically incorporated into this document. The version in effect at time of award is the version that applies to your purchase order.

(b) The TACOM-Warren Master Solicitation for Simplified Acquisitions is available on our Electronic Contracting web page, which you can reach using the following URL address: <http://contracting.tacom.army.mil/opportunity.htm>

(c) The clauses and provisions in Section I of the Master Solicitation apply to all TACOM-Warren RFQs and Purchase Orders that contain this clause. The clauses contained in Section II of the Master Solicitation applies in addition to those in Section I when the RFQ or PO specifies F.O.B. Origin.

(d) We hereby specify that the required F.O.B. point for this acquisition is destination.

(e) We will keep the Master Solicitation identified in this clause available on our Electronic Contracting web page during the entire period of performance of the purchase order. If the current Master Solicitation later is revised to incorporate a change in any of the clauses, the version specified in this clause will be retained, intact, in an archive area on our web page for continued reference and use.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 12 of 30
--------------------	---	---------------

Name of Offeror or Contractor: AM GENERAL LLC

11 52.211-4015 CONFIGURATION CONTROL--ENGINEERING CHANGES JUL/2002
(TACOM)

(a) DEFINITIONS:

(1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.

(2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request before you deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.

(3) Value Engineering Change Proposal (VECP). A proposal that --

(i) Requires a change to the instant contract; and

(ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --

(A) In deliverable end item quantities only;

(B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or

(C) To the contract type only.

(4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.

(b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.

(c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDD) which can be found at the following website: <http://contracting.tacom.army.mil/engr/engrchange.htm>. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.

(1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is N5.

(2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.

(3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:

(i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.

(ii) Files in Adobe PDF (Portable Document Format).

(iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.

(iv) Other electronic formats. Before preparing your ECPs, VECPs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.

(d) Submittal Procedures for ECPs/VECPs/RFDs.

(1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.

(2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 13 of 30
Name of Offeror or Contractor: AM GENERAL LLC		

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

ECPs, VECPs, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the engineer Arthur Griffin, 586-574-6126 and the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

(f) Approval of ECPs, VECPs and RFDs.

(1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.

(2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.

(3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.

(g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

(h) Reminder - Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.

(i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.

(j) Questions.

(1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).

(2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

12	52.211-4053 (TACOM)	REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING SUBSTANCES	MAR/2000
----	------------------------	---	----------

(a) The purchase description or Technical Data Package (TDP) for this purchase order incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this purchase order, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: MIL-S-46163, V-T-295.

(c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/ciods.html>

[End of Clause]

13	52.211-4515	PACKAGING REQUIREMENT (SPECIAL PACKAGING INSTRUCTIONS)	MAR/2004
----	-------------	--	----------

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-P-0804 MOD/AMD</p>	<p style="text-align: center;">Page 14 of 30</p>
--	--	---

Name of Offeror or Contractor: AM GENERAL LLC

(TACOM)
ITEM NO. 0002AA

(a) Military preservation, packing, and marking for this contract/order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Special Packaging Instruction, see below.

- (1) LEVEL OF PRESERVATION: Military
- (2) LEVEL OF PACKING: A
- (3) QUANTITY PER UNIT PACKAGE: 001
- (4) SPECIAL PACKAGING INSTRUCTION NUMBER. AK14762171

- (a) REVISION As listed on TDPL
- (b) DATE OF REVISION As listed on TDPL

(b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage

(c) Marking:

(1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129P(2), dated 10 Feb 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). . Packing lists are required in accordance with the Standard, see paragraph 5.3.

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

(4) Computer Automated Transportation Tool (CATT). The following website provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: <http://www.asset-trak.com/catt/msl_irrd/mslirrdmain.htm> This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (<<http://milpac.com/>>) and Easysoft Corporation (<<http://easysoftcorp.com/>>). Ensure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

(d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant

Name of Offeror or Contractor: AM GENERAL LLC

Protection Organizations compliance program.

(e) Hazardous Materials(As applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations
International Maritime Dangerous Goods Code (IMDG)
Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO
P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers. A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(f) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

(f) SUPPLEMENTAL INSTRUCTIONS: THIS SET OF PACKAGING INSTRUCTION PERTAIN TO ITEM NO. 0002AA. MILITARY PRESERVATION EQUATES TO LEVEL A PRESERVATION.

[End of Clause]

14	52.211-4517 (TACOM)	PACKAGING REQUIREMENTS (COMMERCIAL)	MAR/2004
----	------------------------	-------------------------------------	----------

The following packaging instructions pertains to Item No. 0001AA

(a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

(1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.

(2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.

(3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.

(4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 16 of 30
Name of Offeror or Contractor: AM GENERAL LLC		

(b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

(c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

- (d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:
- (1) The quantity is over one (1) gross of the same national stock number,
 - (2) Use enhances handling and inventorying,
 - (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
 - (4) The unit pack is less than 64 cubic inches,
 - (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

(e) Packing:

(1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

(2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.

(f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

(g) Marking:

(1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

(4) Military Shipping Label: Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at <<http://www.easysoftcorp.com/products/Software/MSL.html>>. Insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

(h) Hazardous Materials(As applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 17 of 30
Name of Offeror or Contractor: AM GENERAL LLC		

be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

- International Air Transport Association (IATA) Dangerous Goods Regulations
- International Maritime Dangerous Goods Code (IMDG)
- Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
- Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

(4) A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

(j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

(k) SUPPLEMENTAL INSTRUCTIONS: None
[End of Clause]

15 52.217-4001 SEPARATELY PRICED OPTION FOR INCREASED QUANTITY APR/1997
(TACOM)

(a) The Government hereby reserves the right to increase the quantity of the contract item up to an additional quantity of 20 units. The unit price for such option quantity shall be as set forth in CLIN 0003AA. This option may be exercised by the Government at any time, but in any event not later than 175 days after award. In addition, such option may be exercised in increments, subject to the stated total additional quantity limitations, price(s), and the above-stated time for exercise of the option.

(b) Delivery of the items added by the exercise of this option shall continue immediately after, and at the same rate as, delivery of like items called for under this contract, unless the parties hereto otherwise agree.

(c) Additionally, prior to the expiration of the original option period identified in paragraph (a) above, the Government may seek a bilateral extension of the option period for an additional period not to exceed 90 days from the expiration date of the original option period.
[End of Clause]

16 52.242-4008 ROUTING OF SPECIAL PROCESS APPROVALS AUG/1994
(TACOM)

(a) Specification TT-C-490, which is part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.

(b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.

Name of Offeror or Contractor: AM GENERAL LLC

(c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

[End of Clause]

17	52.246-4005 (TACOM)	INSPECTION AND ACCEPTANCE POINTS: ORIGIN	FEB/1995
----	------------------------	--	----------

(a) Inspection and acceptance of supplies offered under this purchase order shall take place as specified herein. Inspection: ORIGIN Acceptance: ORIGIN

(b) Origin inspection shall take place at the site specified below:

AM General
420 South Byrkit
Mishawaka, IN
46546

[End of Clause]

18	52.246-4053 (TACOM)	USE OF MIL-STD 1916	JAN/2001
----	------------------------	---------------------	----------

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD- 1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916. This handbook is not contractually binding.

[End of Clause]

19	252.223-7001	HAZARD WARNING LABELS	DEC/1991
----	--------------	-----------------------	----------

(a) Hazardous material, as used in this clause, is defined in the Hazardous Material Identification and Material Safety Data clause of this contract.

(b) The Contractor shall label the item package (unit container) of any hazardous material to be delivered under this contract in accordance with the Hazard Communication Standard (29 CFR 1910.1200 et seq). The Standard requires that the hazard warning label conform to the requirements of the standard unless the material is otherwise subject to the labelling requirements of one of the following statutes:

- (1) Federal Insecticide, Fungicide and Rodenticide Act;
- (2) Federal Food, Drug and Cosmetics Act;
- (3) Consumer Product Safety Act;
- (4) Federal Hazardous Substances Act; or
- (5) Federal Alcohol Administration Act.

(c) The Offeror shall list which hazardous material listed in the Hazardous Material Identification and Material Safety Data clause of this contract will be labelled in accordance with one of the Acts in paragraphs (b)(1) through (5) of this clause instead of the Hazard Communication Standard. Any hazardous material not listed will be interpreted to mean that a label is required in accordance with the Hazard Communication Standard.

MATERIAL (If None, Insert None.)

ACT

_____	_____
_____	_____

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-P-0804 MOD/AMD</p>	<p style="text-align: center;">Page 19 of 30</p>
--	--	---

Name of Offeror or Contractor: AM GENERAL LLC

(d) The apparently successful Offeror agrees to submit, before award, a copy of the hazard warning label for all hazardous materials not listed in paragraph (c) of this clause. The Offeror shall submit the label with the Material Safety Data Sheet being furnished under the Hazardous Material Identification and Material Safety Data clause of this contract.

(e) The Contractor shall also comply with MIL-STD-129, Marking for Shipment and Storage (including revisions adopted during the term of this contract).

[End of Clause]

20 252.225-7036, BUY AMERICAN ACT--FREE TRADE AGREEMENTS--BALANCE OF PAYMENTS PROGRAM, JAN/2004
ALT I Alternate I dated Jan 2004

(a) Definitions. As used in this clause-

- (1) "Component" means an article, material, or supply incorporated directly into an end product.
- (2) "Domestic end product" means-
 - (i) An unmanufactured end product that has been mined or produced in the United States; or
 - (ii) An end product manufactured in the United States if the cost of its qualifying country components and its components that are mined, produced, or manufactured in the United States exceeds 50 percent of the cost of all its components. The cost of components includes transportation costs to the place of incorporation into the end product and U.S. duty (whether or not a duty-free entry certificate is issued). Scrap generated, collected, and prepared for processing in the United States is considered domestic. A component is considered to have been mined, produced, or manufactured in the United States (regardless of its source in fact) if the end product in which it is incorporated is manufactured in the United States and the component is of a class or kind for which the Government has determined that-
 - (A) Sufficient and reasonably available commercial quantities of a satisfactory quality are not mined, produced, or manufactured in the United States; or
 - (B) It is inconsistent with the public interest to apply the restrictions of the Buy American Act.
- (3) "End product" means those articles, materials, and supplies to be acquired under this contract for public use.
- (4) "Foreign end product" means an end product other than a domestic end product.
- (5) "Free Trade Agreement country" means Canada, Chile, Mexico, or Singapore.
- (6) "Canadian end product," means an article that-
 - (i) Is wholly the growth, product, or manufacture of Canada; or
 - (ii) In the case of an article that consists in whole or in part of materials from another country or instrumentality, has been substantially transformed in Canada into a new and different article of commerce with a name, character, or use distinct from that of the article or articles from which it was transformed. The term refers to a product offered for purchase under a supply contract, but for purposes of calculating the value of the end product includes services (except transportation services) incidental to its supply, provided that the value of those incidental services does not exceed the value of the product itself.
- (7) "Qualifying country" means any country set forth in subsection 225.872-1 of the Defense Federal Acquisition Regulation Supplement.
- (8) "Qualifying country component" means a component mined, produced, or manufactured in a qualifying country.
- (9) "Qualifying country end product" means-
 - (i) An unmanufactured end product mined or produced in a qualifying country; or
 - (ii) An end product manufactured in a qualifying country if the cost of the following types of components exceeds 50 percent of the cost of all its components:
 - (A) Components mined, produced, or manufactured in a qualifying country.
 - (B) Components mined, produced, or manufactured in the United States.
 - (C) Components of foreign origin of a class or kind for which the Government has determined that sufficient and reasonably available commercial quantities of a satisfactory quality are not mined, produced, or manufactured in the United States.
- (10) "United States" means the United States, its possessions, Puerto Rico, and any other place subject to its jurisdiction, but does not include leased bases or trust territories.

(b) This clause implements the Buy American Act (41 U.S.C. Section 10a-d), the Balance of Payments Program, and the North American Free Trade Agreement Implementation Act of 1993 (19 U.S.C. 3301 note). Unless otherwise specified, this clause applies to all items in the Schedule.

(c) The Contractor shall deliver under this contract only domestic end products unless, in its offer, it specified delivery of qualifying country, Canadian, or other foreign end products in the Buy American Act--Free Trade Agreements--Balance of Payments Program Certificate provision of the solicitation. If the Contractor certified in its offer that it will deliver a qualifying country end product or a Canadian end product, the Contractor shall deliver a qualifying country end product, a Canadian end product, or, at the Contractor's option, a domestic end product.

(d) The contract price does not include duty for end products or components for which the Contractor will claim duty-free entry.

(End of clause)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 20 of 30
Name of Offeror or Contractor: AM GENERAL LLC		

21 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA (Alternate III dated May 2002) MAY/2002

(a) Definitions. As used in this clause--

(1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.

(2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.

(3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.

(4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.

(5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.

(6) Supplies means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.

(i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.

(ii) Supplies includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.

(7) U.S.-flag vessel means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.

(b)(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.

(2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if--

(i) This contract is a construction contract; or

(ii) The supplies being transported are--

(A) Noncommercial items; or

(B) Commercial items that--

(1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);

(2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or

(3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.

(c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--

(1) U.S.-flag vessels are not available for timely shipment;

(2) The freight charges are inordinately excessive or unreasonable; or

(3) Freight charges are higher than charges to private persons for transportation of like goods.

(d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--

(1) Type, weight, and cube of cargo;

(2) Required shipping date;

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 21 of 30
Name of Offeror or Contractor: AM GENERAL LLC		

(3) Special handling and discharge requirements;

(4) Loading and discharge points;

(5) Name of shipper and consignee;

(6) Prime contract number; and

(7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.

(e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information--

(1) Prime contract number;

(2) Name of vessel;

(3) Vessel flag of registry;

(4) Date of loading;

(5) Port of loading;

(6) Port of final discharge;

(7) Description of commodity;

(8) Gross weight in pounds and cubic feet if available;

(9) Total ocean freight in U.S. dollars; and

(10) Name of the steamship company.

(f) The Contractor shall insert the substance of this clause, including this paragraph (f) in subcontracts that are for a type of supplies described in paragraph (b)(2) of this clause.

[End of Clause]

22 52.204-4005 REQUIRED USE OF ELECTRONIC CONTRACTING
(TACOM)

DEC/2002

(a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website <http://farsite.hill.af.mil/>

(b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: <http://www.ccr.gov/> . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)

(c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: http://contracting.tacom.army.mil/awards_official.htm
Rock Island: <http://aais.ria.army.mil/AAIS/AWDINFO/index.htm>
Picatinny: <http://procnnet.pica.army.mil/Contracts/Index.htm>
Red River Army Depot: <http://www.redriver.army.mil/contracting/Awards>
Anniston Army Depot: <http://www.anadprocnnet.army.mil>

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 22 of 30
---------------------------	--	----------------------

Name of Offeror or Contractor: AM GENERAL LLC

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

(1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".

(2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at <http://www.acq.osd.mil/ec/ecip/index.htm> . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

(e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Acceptable formats include:

- (1) Microsoft* 97 Office Products (TACOM can currently read OFFICE 97* and lower.): Word, Excel, Powerpoint, or Access
- (2) 100 OR 250 MEGABYTE ZIP*-DISK, 3 1/2 INCH DISK, OR 650 MEGABYTE CD ROM
- (3) E-MAIL (Maximum size of each e-mail message is be three and one-half (3.5) megabytes).

(4) Other electronic formats. Before submitting your data in any other electronic format, please e-mail the buyer identified on the face of the contract, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the required data submission date.

NOTE: The above formats may be submitted in compressed form using self-extracting files.

(f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059.

[End of Clause]

23 52.204-4009 MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION JUN/1999
(TACOM)

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

(d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.

(e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

24 52.211-4008 DRAWING LIMITATIONS NOV/2002
(TACOM)

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 23 of 30
Name of Offeror or Contractor: AM GENERAL LLC		

(1) depict the completed item(s), and

(2) serve as the basis for inspection of the completed item(s).

(b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

25 52.211-4016 CARC PAINT-PRETREATMENT REQUIREMENTS FOR FERROUS, GALVANIZED AND AUG/2003
ALUMINUM SURFACES

(a) Ferrous and galvanized surfaces shall be cleaned and pretreated with a Type 1 microcrystalline zinc phosphate system per TT-C-490E. Alternate pretreatment systems for ferrous substances must meet the performance tests specified in paragraphs 3.5.7, 3.5.8, 4.2.7, and 4.2.8 of TT-C-490E. Corrosion resistance tests will be conducted on a monthly basis (two test coupons) after the process has been found to be in compliance with the (pretreatment chemicals) manufacturers instructions. Process control tests for this or alternative systems must ensure that the process remains in control and must be documented per ISO 9000 series and approved by TACOM. Testing (corrosion resistance and adhesion) must be performed on the same substrate and the same thickness of primer minus topcoat used in production. Unless otherwise specified, MIL-P-53022 and -53030 primers shall be salt spray tested for 336 hours (ASTM B117). All electrocoat primers shall be tested for 1000 hours. Test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, between 24 and 168 hours after removal from the neutral salt spray cabinet for coupon evaluation. Any TT-C-490E (Type I) inorganic crystalline pretreatment is limited to a maximum build equivalent of 500 mg per square foot to minimize chipping of the CARC system. All TT-C-490E (Type I) zinc phosphate pretreatment systems must be documented per ISO 9000 series and approved by the procuring activity prior to use. The procedure containing all the elements specified in paragraph 3.2 of TT-C-490E shall be submitted to the procuring activity no less than 45 days prior to start of work. Qualification will consist of verification that the process with its controls can meet the performance requirements in the specification. The performance of zinc phosphate or any proposed alternate pretreatment system must be demonstrated and approved by the procuring activity. Prior to production, a Letter of Approval shall be provided by the Contracting Officer. Regualification of the process shall be required if the process is changed outside the limits defined in the TACOM letter of system acceptance (Letter of Approval) provided to the application facility.

Note: Zinc phosphate systems for galvanized surfaces require separate qualification. Hot dipped galvanized surfaces are highly prone to chlorine/chloride contamination from the galvanizing flux process. This contaminant must be removed prior to pretreatment for the coating system to pass these performance tests. Due to the wide variation in zinc thickness with the hot dip galvanizing process, the dry film thickness of the primer will be verified with a Tooke gage or equivalent for the purpose of production and process control. Primer test coupons shall represent both the minimum and maximum nominal dry film thickness. The test coupons must duplicate the production painting process as closely as possible.

(b) Qualification of pretreatment systems for zinc galvanized substrates shall be performed using Accelerated Corrosion Test protocol contained in GM 9540P, Method B, rather than salt spray. Test coupons with pretreatment and primer only shall be cured for seven days, and then scribed through the primer to the substrate. After 40 cycles of test exposure, the test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, both parallel and perpendicular to the scribe between 24 and 168 hours after removal from the cyclic salt spray chamber for coupon evaluation. There shall be no more than 3 mm of red rust creep, blistering, or loss of paint adhesion from the scribe line and no more than 5 blisters in the field with none greater than 1 mm diameter. This test shall be performed at two month intervals (two test coupons) to ensure that the process remains in control.

(c) Aluminum substrates require a chromate conversion coating per MIL-C-5541E (or alternate, see note below), after appropriate cleaning per TT-C-490E. If any other alternate pretreatment is considered, it must pass 120 cycles of GM9540P, as a scribed Q-panel when coated with the production primer. After completion of the cyclic salt environment exposure, the panels shall be scraped as described above, and shall have no more than 0.5 mm paint loss (creep-back) from the scribe. In addition, there shall be no more than

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 24 of 30
--------------------	---	---------------

Name of Offeror or Contractor: AM GENERAL LLC

5 blisters in the field with none larger than 1mm diameter. After completion of the 120 cycle corrosion resistance test evaluation, each test panel will be subjected to cross hatch tape test (ASTM D3359, minimum tape adhesion rating of 45 oz. per inch of width). The test pattern shall be 4 lines x 4 lines scribed to the metallic layer at 2mm intervals (approximate) and shall be done no closer than 12 mm from any panel edge or the scribe. Multiple head cutters may be used. The removal of two or more complete squares of primer shall constitute failure. Any alternate system must demonstrate its ability to pass both corrosion and adhesion tests on 5 consecutive days of production to be considered acceptable. All process steps shall be documented IAW ISO 9000 series standards and approved by the procuring activity.

Note: The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series aluminum alloys are Alodine 5200 and Alodine 5700.

(d) The use of TT-C-490E Type III: Vinyl Wash Primer (DOD-P-15328) is prohibited due to its hexavalent chromium content and high VOC level. The Army is committed to minimizing the use of HAPs and hazardous materials.

[End of Clause]

26	52.211-4030 (TACOM)	SPECIAL TESTING REQUIREMENTS FOR CHEMICAL AGENT RESISTANT COATINGS (CARC) ON METALLIC SURFACES	MAR/2001
(a)	<u>Application:</u> MIL-C-46168 MIL-C-53039 MIL-PRF-22750		
		(b) <u>End-Item Paint Inspection:</u> After the complete paint finish has been applied and cured* (See *Note, below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness, and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a <u>lot</u> shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in the Film Thickness Table below. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected to conduct the scribe tape test. The test locations shall be routinely varied among the following:	
		(1) Directly adjacent to a weld (2) On or directly adjacent to a machine cut or sheared edge. (3) On any mechanically formed surface when lubricants/drawing compounds were used. (4) On paint touch-up areas.	
		(c) The precise location for each scribe tape test shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.	
		(d) Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in the Film Thickness Table below.	
		*Note: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take from 24 days.	
		(e) <u>Test Methods:</u>	
		(1) <u>Film Thickness.</u> Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.	
		(2) <u>Scribe Tape Test.</u> The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:	
		(i) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.	

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 25 of 30
Name of Offeror or Contractor: AM GENERAL LLC		

(ii) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.

(iii) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.

(iv) Wait 10 seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

(f) Interpretation of Test Results

NOTE: These two tests are not a substitute for corrosion tests such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

FILM THICKNESS TABLE

<u>SPECIFICATION</u>	<u>DRY FILM THICKNESS (Mils)</u>
DOD-P-15328*	0.3 - 0.5
MIL-PRF-23377	1.0 - 1.5
MIL-P-53022	1.0 - 1.5
MIL-PRF-22750	1.3 - 1.7
MIL-P-53030	1.0 - 1.5
MIL-C-46168	1.8 - 3.2
MIL-C-53039	1.8 - 3.2

*May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

Notice: The scribe tape test is designed to detect any deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (i) Inadequate cleaning of the substrate.
- (ii) Contamination of the surface between coatings.
- (iii) Excessive paint film thickness in a single coating application.
- (iv) Application of a coating over a previous coating which has not been adequately cured.

It is strongly recommended that the Contractor implement rigid in-process controls in conjunction with the best industrial painting practices to ensure that the performance requirements specified in this clause are met.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 26 of 30
	PIIN/SIIN W56HZV-04-P-0804	MOD/AMD
Name of Offeror or Contractor: AM GENERAL LLC		

(b) In consequence, if you have not obtained TACOM approval of your phosphate coating procedures, or if you have not obtained TACOM approval of the exact procedure that you will use if awarded this contract, you must be prepared to submit and gain approval of your proposed procedure before you initiate performance on any contract awarded as a result of this solicitation. (Where approval is required, the Contractor shall provide two copies of the required documents through the cognizant Administrative Contracting Officer (ACO) for his or her initial review and evaluation to the attention of the buyer, US Army TACOM (address and office symbol are given on the face of this contract or purchase order). Be sure to cite the contract number on all coating procedures being submitted for TACOM review.)

(c) If you have previously received TACOM review and approval of the same coating procedures you will use if awarded this contract, then that previous approval may be construed as meeting the requirements in MIL-DTL-16232G for preproduction approval. The Government reserves the right to require an updated approval if substantial time has passed since the last approval, or if we have encountered or suspect quality problems stemming from noncompliance with specification coating requirements. You will be notified by the Administrative or Procuring Contracting Officer after award if an updated approval of your coating procedures will be required.

(d) If you HAVE NOT received TACOM approval of your phosphate coating procedures, so indicate by checkmarking the following certification:

[] This company has no record of having received TACOM approval of our proposed phosphate coating procedures, as described in MIL-DTL-16232G. If awarded a contract resulting from this solicitation, we will secure the required approval before beginning production, at no additional cost to the Government, and at no extension in delivery schedule.

(e) If you HAVE received a previous TACOM approval of your proposed phosphate coating procedures, so indicate by completing all parts of the following representation:

(1) TACOM review and approval of our phosphate coating procedures was last obtained on (date)_____, for contract _____. We further certify that phosphate coating as required for that contract:

[] was performed in-house, in our production facility.
 [] was performed out-of-house, by the _____ company, address as follows:

(2) If awarded a contract resulting from this solicitation, we

[] will
 [] will not

use exactly the same coating procedures (including, if applicable, the same subcontractor as indicated in paragraph 1. immediately above) as those for which we have received TACOM approval as indicated above.

[End of Provision]

28 52.211-4036 FORMAT OF THE TECHNICAL DATA PACKAGE APR/2000
 (TACOM)

(a) The TDP for the contract item is available only in electronic format via the TACOM Contracting Webpage (contracting.tacom.army.mil). TACOM-Warren has discontinued its practice of providing hard copies (i.e. CD ROM) of technical data packages (TDPs). You must obtain a copy of the TDP for this solicitation via the TACOM Contracting Webpage. For those TDPs not available via the webpage, the TDP will be issued free of charge in CD-ROM format. The CD-ROM includes the necessary software to access, view, and print individual images that are included in the TDP. The CD-ROM can be read in any personal computer that includes a CD-ROM drive. If your company does not have a personal computer with a CD-ROM drive, you can take the CD-ROM disk to any of various commercial computing or copying/printing service, to have hard copies produced.

(b) TDPs available via the TACOM Contracting Webpage may be purchased in CD ROM format for a fee of \$4.60 each. Requests for CD ROMs and payment should be mailed to:

USATACOM
 AMSTA-CM-CDD (TDP Requests)
 Warren, MI 48397-5000

Make checks payable to the United States Treasury. Points of Contact for this initiative: Gerri Mackey and Diane Woods at (586) 574-7061, and Gloria McCullough at (586) 574-7064.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 27 of 30
Name of Offeror or Contractor: AM GENERAL LLC		

[End of Provision]

29 52.211-4047 NOTICE TO OFFERORS INTENDING TO OFFER OTHER THAN NEW MATERIAL APR/2000
 (TACOM) (NEGOTIATED)

(a) We intend to acquire only new material. Unless this contract otherwise requires virgin material or supplies composed of, or manufactured from, virgin material, the contractor shall provide supplies that are new, as defined in this clause.

(b) Definitions:

(1) "New" means composed of previously unused components, whether manufactured from virgin material, recovered material in the form of raw material, or materials and by-products generated from, and reused within, an original manufacturing process; provided that the supplies meet contract requirements, including but not limited to, performance, reliability, and life expectancy.

(2) "Reconditioned" means restored to the original normal operating condition by readjustments and material replacement.

(3) "Recovered material" means waste materials and by-products that have been recovered or diverted from solid waste including post-consumer material, but such term does not include those materials and by-products generated from, and commonly reused within, an original manufacturing process.

(4) "Remanufactured" means factory rebuilt to original specifications.

(5) "Virgin material" means previously unused raw material, including previously unused copper, aluminum, lead, zinc, iron, other metal or metal ore, or any undeveloped resource that is, or with new technology will become, a source of raw materials

(6) "Residual Inventory" means inventory from a transferred or terminated Government or commercial contract.

(c) Used, reconditioned, remanufactured supplies, unused former Government surplus property, or residual inventory shall not be used unless the contractor has proposed the use of such supplies, and the Contracting Officer has authorized their use.

(d) Offers to provide other than new material shall be submitted to the Contracting Officer for approval:

(1) A proposal to provide unused former Government surplus property shall include a complete description of the material, the quantity, the name of the Government agency from which acquired, and the date of acquisition.

(2) A proposal to provide used, reconditioned, or remanufactured supplies shall include a detailed description of such supplies.

(3) A proposal to provide residual inventory shall include the Government or commercial contract number of the terminated contract and the name of the original contractor.

(e) If the use of used, reconditioned, remanufactured items, unused former Government surplus property, or residual inventory are approved by the Contracting Officer, we may require you to meet specific marking, inspection, and testing requirements beyond those found in this solicitation. We will negotiate these additional requirements with you before award and put them in any resulting contract.

[End of Clause]

30 52.211-4049 PART NUMBERS NOT CURRENTLY APPROVED NOV/1983
 (TACOM)

As specified elsewhere in this solicitation, part or all of the contract item to be procured hereunder is restricted to certain approved manufacturer's part numbers as set forth in the Schedule and/or the Technical Data Package. Any firm that produces an item which it believes to be equivalent to one of these approved part numbers is hereby encouraged to have such item tested and approved, so that the item will be eligible to be bought on future acquisitions. Please write to the attention of the buyer at the address indicated on the cover page of this solicitation and request a statement of the procedures by which items can be tested and approved for procurement. Such an enquiry should cite the applicable National Stock Number (NSN), the already approved part number, the part number of the item which the enquirer believes to be identical to our approved item, and a brief statement of the basis on which the new item is believed to be equivalent to our already approved item.

[End of Provision]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 28 of 30
Name of Offeror or Contractor: AM GENERAL LLC		

31 52.211-4054 PACKING/PACKAGING LEVEL FOR OPTION QUANTITIES FEB/1994
(TACOM)

For purposes of computing a price for the option quantity specified in Section B of this solicitation and unless otherwise indicated in Section B, it is understood and agreed that the option unit price includes the same level(s) of packing/packaging as those that apply to the basic contract quantity.

[End of Provision]

32 52.215-4404 DATA AND COMMUNICATIONS SUBMITTED TO THE GOVERNMENT ELECTRONICALLY MAY/2002
(TACOM)

(a) The Government often employs contractors as system administrators to operate and maintain Government computer systems. These systems include local area networks, web sites, databases, other electronic records, e-mail accounts, other electronic data transfer mechanisms and computer software. The employees of these contracted system administrators sign nondisclosure agreements obligating them not to reveal information contained in files, documents, computers or systems that they administer. However, unless such information is protected in some way, contracted system administrators do have the ability to access such information.

(b) Potential contractors as well as any other parties are thus advised to take steps needed to prevent access by contracted system administrators to information submitted electronically to the Government. Absent such steps, it is assumed that contracted system administrators are permitted the capability to access the data. The access will be limited to that which is necessary for the contract system administrator to perform its duties for the Government. The access shall be subject to the condition that third party information is not to be revealed by the contracted system administrator.

[End of Clause]

33 52.217-4003 EVALUATION OF INCOMPLETE OPTION PRICING MAY/2000
(TACOM)

(a) Per FAR 17.203(d), offerors may price the option CLIN in this solicitation incrementally, by entering different option unit prices that will apply to different subquantities or quantity ranges (in the event that the Government elects to exercise less than 100% of the option). Notwithstanding this fact, the provision entitled EVALUATION OF OPTIONS (FAR 52.217-5, located elsewhere in this solicitation) indicates that the Government's evaluation for contract award will include each offeror's price for 100% of the option quantity.

(b) In light of the above, if an offeror specifies unit prices that apply to one or more option quantity ranges, but does not specify a unit price for 100% of the option, the Government will evaluate that offer for award as follows. The option price for such offer shall be deemed to be the higher of (i) the unit price that applies to the basic (non-option) quantity, or (ii) the highest unit price that is identified against any range or subquantity of the option CLIN.

[End of Provision]

34 52.217-4004 DESTINATION FOR OPTION QUANTITIES FEB/1994
(TACOM)

To compute a price for any option quantity, assume you'll be shipping a proportional share of the option quantity to each destination scheduled to receive shipments of the same item under the basic contract. For example, if the basic contract involves one third of the quantity to go to destination X, and two thirds to destination Y, assume those same percentages will apply to any option quantities the Government will exercise.

[End of Provision]

35 52.246-4026 LOCAL ADDRESS FOR DD FORM 250 JAN/2002
(TACOM)

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

(1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address:
DD250@tacom.army.mil

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 29 of 30
---------------------------	--	----------------------

Name of Offeror or Contractor: AM GENERAL LLC

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number: (586) 574-5527 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

(c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://web1.whs.osd.mil/icdhome/DD-0999.htm>

[End of Clause]

36 52.247-4016 HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS JUL/2002
(TACOM)

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEBILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

[End of Clause]

37 52.247-4458 GUARANTEED SHIPPING CHARACTERISTICS--F.O.B. DESTINATION SEP/2000
(TACOM)

(a) The offeror is required to complete subparagraph (b)(1), (2), and (3), of this clause, for each part or component, including all of its packaging. This information will be used by the Government to perform logistics management functions such as providing item sustainment, planning (e.g. estimating storage costs), and redistribution. You are not liable if you give us wrong information, however since the DOD uses this data in-house in existing data bases and because this information may be used in contingency planning it, we request that the information provided be as accurate as possible.

(b) Definitions of terms commonly used in the packaging and distribution environments are defined in ASTM D996 and should be consulted if any term used herein is in question.

(1) Unit Package: 1 each in wood box shipper. Wood blocking. MIL_B-121 Paper

(i) Specify the type of UNIT PACKAGE for each single unit of issue: A container in direct contact with and enclosing the product along with any required protective materials(s)(e.g. item is wrapped in neutral paper, polyethylene foam cushion wrapped, sealed in a waterproof bag, and placed in a fiberboard box).

(ii) Unit Package Exterior Size/Weight of Unit Package with contents:

Length__55__ x Width__54__ x Depth __12__(expressed in inches)/Weight expressed in ____204__ pounds

(2) Shipping Container: Unit package is shipping container.

(i) Exterior Size of SHIPPING CONTAINER AND CONTENTS THEREIN:

Length, ____ x Width, ____ x Height,____ (expressed in feet and inches)

(ii) Number of unit packages per shipping container _____ each

(iii) Gross weight of Shipping container and contents _____ Lbs.

(3) Unitized Loads:

(i) Is the Load palletized, skidded, or some other platform device used as a base for handling and transporting as a single entity. Yes [] No [X]; describe: _____

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0804 MOD/AMD	Page 30 of 30
---------------------------	--	-----------------------------

Name of Offeror or Contractor: AM GENERAL LLC

- (ii) Number of Shipping containers per pallet/skid _____ each.
- (iii) Weight of empty pallet, skid, platform, dolly, other device used as a base for handling and transporting materials _____ Lbs
- (iv) Size of Unit Load(pallet/skid including shipping container(s)assembled for handling and transportation as a single entity:

Length, _____ x Width, _____ x Height,_____ (expressed in feet and inches)
- (v) Gross Weight of Unit Load _____ Lbs;

[End of Clause]